

## Press release

**Mannheim, January 2017**

**Introduction of the new TITAN Supersyn F Eco-FE SAE 0W-30 engine oil for the new Ford specification FORD M2C950-A**

---

### General information

In 2014, Ford introduced a special engine oil specification for the new generation of TDCI engines. This specification is based on the ACEA C2 specification in SAE class 0W-30 and includes the highest requirements in the field of fuel economy. This new Ford specification FORD M2C950-A covers the following aspects:

- SAE 0W-30
- Based on ACEA C2
- Increased fuel economy requirements compared to previous Ford specifications
- For diesel vehicles with DPF
- Absolute requirement in the new TDCI diesel engines

### TITAN Supersyn F Eco-FE SAE 0W-30

Specifically for the above-mentioned new specification, FUCHS has developed TITAN Supersyn F Eco-FE SAE 0W-30, which meets the high requirements of Ford engine oils. This product has been officially approved according to FORD M2C950-A and is now available to car dealerships and workshops.

## Press release

### Product profile and applications

TITAN Supersyn F Eco-FE SAE 0W-30

Specifications	Approvals	FUCHS recommendations
ACEA C2	FORD M2C950-A	–

TITAN Supersyn F Eco-FE SAE 0W-30 has been specifically developed and approved for use in the new Ford TDCI generation of engines.

Benefits:

- Specifically developed for and approved by Ford
- Specially for use in the new Ford TDCI generation of diesel engines
- Best low-temperature start-up properties
- Outstanding wear protection under all operating conditions
- Reduced oil consumption
- Fuel savings of 0.6% compared to FORD M2C925-B and 0.75% compared to FORD M2C913-D

### Current application areas of the FORD M2C950-A specification

Vehicle	Engine	Model year
Fiesta	1.5 TDCI Duratorq	From 2015
Focus	1.5 TDCI Duratorq 2.0 TDCI Duratorq	From 2015 From 2014
Mondeo	1.5 TDCI 1.6 TDCI 2.0 TDCI	From 2014 From 2014 From 2014
C-Max	1.5 TDCI Duratorq 2.0 TDCI	From 2015 From 2015

## Press release

Grand C-Max	1.5 TDCI 2.0 TDCI	From 2015 From 2015
S-Max	2.0 TDCI	From 2015
Galaxy	2.0 TDCI	From 2015
Kuga	2.0 TDCI	From 2014
Edge	2.0 TDCI Duratorq	From 2015
Tourneo Connect	1.5 TDCI	From 2015
Tourneo Custom	2.0 EcoBlue TDCI	From 2016
Transit Connect	1.5 TDCI	From 2015
Transit Custom	2.0 EcoBlue TDCI	From 2016

## Overview of Ford engine oil specifications for passenger cars

Specification	Viscosity	FUCHS product
<b>WSS-M2C913-C</b>	5W-30 HTHS > 2.9	<b>TITAN Supersyn F Eco-DT SAE 5W-30</b>
<b>WSS-M2C913-D</b>	5W-30 HTHS > 2.9	<b>TITAN Supersyn F Eco-DT SAE 5W-30</b>
<b>WSS-M2C948-B</b>	5W-20 HTHS > 2.9	<b>TITAN Supersyn F Eco-B SAE 5W-20</b>
<b>WSS-M2C937-A</b>	0W-40 HTHS > 3.5	<b>TITAN Supersyn LONGLIFE SAE 0W-40</b>
<b>WSS-M2C917-A</b>	5W-40 HTHS > 3.5	<b>TITAN GT1 SAE 5W-40</b>
<b>WSS-M2C950-A</b>	5W-40 HTHS > 3.5	<b>TITAN Supersyn F Eco-FE SAE 0W-30</b>

## Press release

For more information, contact:

FUCHS SCHMIERSTOFFE GMBH

Name: Norbert Schell, Head of Marketing Services

Phone +49 (0)621 3701 1401

Fax +49 (0)621 3701 7401

E-mail [norbert.schell@fuchs-schmierstoffe.de](mailto:norbert.schell@fuchs-schmierstoffe.de)