










# Silkolene®


SUPERIOR MOTORCYCLE OILS



From Tourers to Superbikes, Weekend Rider to full on Racer – FUCHS Silkolene is the leading brand of motorcycle lubricants, cleaning and maintenance products.

Product	Description	Specification	
<b>4 STROKE</b>			
<b>SILKOLENE COMP 4 10W-40 - XP</b>	COMP SYNTHETIC ESTER BASED Formulated to meet the needs of both air and water-cooled 4-stroke engines, Comp 4 10W40 XP is the recommended SAE grade for many motorcycle manufacturers.	API SL JASO MA2 APPROVED	
<b>SILKOLENE PRO 4 10W-50 -XP</b>	PRO FULLY SYNTHETIC Using 100% Synthetic Ester to provide increased power, optimum engine protection, ultimate performance and reliability. Proven formula developed in partnership with manufacturers and race teams.	API SM/SN JASO MA2 APPROVED	
<b>SILKOLENE V-TWIN 20W-50 MINERAL</b>	Mineral engine oil formulated for all Harley Davidson and Metric V-Twins. Provides high level of engine cleanliness and protects engine components from wear and corrosion.	API CF/SG, SH & SJ JASO MA2 APPROVED	
<b>SILKOLENE QUAD ATV 5W-40</b>	PRO FULLY SYNTHETIC Latest Technology providing increased power and optimum engine protection over a wide range of ambient temperatures. Stay-in-grade capability ensures consistent performance for the full oil service life.	API SG, SH, SJ & SL CCMC G4 & G5 JASO MA2 APPROVED	
<b>2 STROKE</b>			
<b>SILKOLENE COMP 2 PLUS</b>	PRO FULLY SYNTHETIC Ultra low smoke, clean burning lubricant providing maximum performance, extra power and reliability. Compatible with all fuels.	JASO FC/FD / API TC / ISO L-EGD	
<b>SILKOLENE SNOW COMP 2</b>	Semi-synthetic 2-stroke engine oil for use in extreme cold conditions. MC Syn Technology, clean burning formula reduces wear and ensures reliability. Compatible with all fuels. Suitable for PreMix and Injector.	JASO FC/FD / API TC / ISO L-EGD	
<b>GEAR</b>			
<b>SILKOLENE GEAR OIL LIGHT</b>	Advanced gear oil for wet or dry clutch transmissions. Reduces drag, combats clutch slip and protects highly stressed components. SAE 75W-80. Crankcase rating SAE 10W-40.	GL3 / GL4 Motorcycle applications only SAE 75/SAE 80	

Product	Description	Specification	
<b>SHOCK ABSORBER</b>			
<b>SILKOLENE RSF 5</b>	A race/road/track proven suspension fluid already in use and chosen by many of today's market leading suspension manufacturer's and currently already used as original equipment in many of today's modern motorcycles. The high VI contained in the Fuchs Silkolene RSF range provides a far more consistent damping performance throughout the operating range due to the fact the viscosity changes less with increasing temperature.	ISO 22	
<b>GREASE</b>			
<b>SILKOLENE PRO RG2</b>	An advanced, high melting point, synthetic racing grease, PRO RG2 is a multi-functional, high performance grease with exceptional heat resisting and water-proofing properties. PRO RG2 has outstanding water repellence, excellent corrosion inhibition properties and high resistance to water wash-off, making it an ideal choice for rally and watercraft use. The simple but effective dispensing follower plate in the 500g container makes application clean and easy while preventing product contamination.	NLGI-2	
<b>CHAIN LUBE</b>			
<b>SILKOLENE CHAIN LUBE SPRAY</b>	Semi-Synthetic Chain Oil for all motorcycle chains. Suitable for Road & Off Road use. Effectively penetrates the inner rollers and pins and resists high speed fling-off. Outstanding anti-wear / anti-corrosion properties provide increased chain and sprocket life. For all chains including "O" and "X" ring types.		
<b>SILKOLENE TITANIUM DRYLUBE SP</b>	Non fling PTFE boosted Chain Lubricant. Suitable for Road & Off Road use. This hyper strong PTFE boosted formula resists high speed fling-off while providing exceptional anti-wear and anti-corrosion performance even in severe conditions. Silkolene Titanium Dri-Gel protects your chain, leaving it with a white "as new" finish. For all chains including "O" and "X" ring types. FUCHS strongly recommend the use of FUCHS Silkolene Brake & Chain Cleaner prior to use.		
<b>MAINTENANCE</b>			
<b>SILKOLENE ALL-IN-ONE SPRAY</b>	Premium, multi-purpose, moisture repellent spray with many uses which include cleaning, protecting and lubricating. For use in and around the home, garage and workshop. With excellent de-watering properties, it repels moisture, penetrates corroded threads, lubricates and even offers protection against corrosion - a valuable product for every mechanic and an essential piece of emergency kit for all bikes! NOTE: May affect certain rubbers and plastics.		
<b>SILKOLENE PRO RACE BRAKE FLD</b>	Brake fluids are often forgotten but are possibly the most essential fluid in a vehicle from the safety aspect. They need checking and changing regularly to avoid brake fade and loss of efficiency. The performance of a brake fluid is generally denoted by reference to a DOT specification. Vehicle manufacturers specify the minimum performance requirements of suitable fluids by reference to this DOT spec. Commonly available products are DOT 3, DOT 4, Universal (covering the requirements of both DOT 3 and DOT 4) and DOT 5, although Racing Brake Fluids are available for competition use. Unlike most Racing Brake Fluids PRO RACE BRAKE FLUID is suitable for road use.	DOT 4	
<b>SILKOLENE BRAKE/CHAIN CLEANER</b>	A powerful cleaner for Brake & Chain components. With its powerful spray, FUCHS SILKOLENE Brake & Chain Cleaner is perfect for removing unwanted deposits from chain and brake components - leaving no oily film whilst maintaining chain and brake performance. Safe to use on seals and hoses. Directions for Use: Spray on, allow to penetrate, agitate as required and allow to dry. FUCHS strongly advise that the clean chain is lubricated with a FUCHS Silkolene Chain Lubricant.		
<b>SILKOLENE PRO PREP SPRAY</b>	A high quality water repellent, hard surface conditioner which provides a micro barrier against dirt and unwanted deposits. Safe to use on all exposed bodywork to make cleaning easier. It also retards metal corrosion and inhibits the further adhesion of dirt and mud. PRO PREP gives that elusive 'factory finish' and also ensures smooth operation of plastic moving parts. Helps to waterproof and insulate ignition systems. NOTE: Contains silicones - do not use where painting is carried out or on windscreens or visors.		

Product	Description	Specification	Package
<b>SILKOLENE FOAM FILTER CLEANER</b>	<p>A highly effective, water rinsable cleaner/degreaser formulated specifically for cleaning foam filters prior to re-oiling with FUCHS SILKOLENE FOAM FILTER OIL. Easily removes soiling, grease and grime, extending the life of filters. FOAM FILTER CLEANER is also suitable for many other cleaning tasks including the degreasing of engine parts and the removal of stubborn oil based marks.</p>		
<b>SILKOLENE FOAM FILTER OIL</b>	<p>Advanced, low viscosity coating treatment designed to improve the efficiency of foam air filters. Contains polymeric additives to provide a hyper-tacky surface that resists the ingress of the most pervasive sand, dust and water, without affecting engine breathing. Developed to provide outstanding engine protection even in the most severe conditions. Reduces the risk of breakdown and helps extend engine life. The chlorinated solvent-free formula will not damage the foam filter construction or air box materials.</p>		