



Spray lubricants & greases

High performance sprays

AEROSOLS

Name	Description	Application	Key benefits	Usage	Notes
CLEANERS					
BRAKE CLEANER	Brake and clutch cleaner	Spray directly onto the component surface, allowing time to penetrate all areas and evaporate before wiping clean to remove grease, oil and dirt	<ul style="list-style-type: none"> Residue free finish Colourless/odourless No harm to friction materials or seals 	Suitable for brake components and clutch plates	Test braking system thoroughly after cleaning
CONTACT CLEANER	Solvent cleaner	Spray directly onto the component surface, wipe clean with lint free cloth as required to produce dry surface free from residue	<ul style="list-style-type: none"> Compatible with most plastics and painted surfaces Non-corrosive 	Suitable for the cleaning and degreasing of delicate components, such as those used in electronic equipment.	Electric motors and power switches should be turned off and warm components allowed to cool, prior to use.
RENOCLEAN MVE 6006	Powerful solvent degreaser for industrial use on all metals	Spray directly onto the component surface, removes oils, fats and other general non-polar substances	<ul style="list-style-type: none"> Low odour Residue free finish Excellent cleaning ability 	Suitable for all metal components	May affect some rubbers and plastics
MULTI-PURPOSE					
MAINTENANCE SPRAY	Multi-purpose rust preventive, lubricant and dewatering aerosol	Spray directly onto the component surface, after evaporation, deposits an oily film which displaces water, prevents corrosion and acts as a light lubricant	<ul style="list-style-type: none"> Highly penetrating Provides ultra-thin protective film Conforms to BS1133 Classification TP 2b 	Suitable for metallic components, particularly those which have been exposed to water	Follow package safety information to ensure safe application
MAXILUBE	Solvent based protective and dewatering oil	Spray directly onto the component surface, deposits very thin penetrating film which removes water and provides mild lubricity	<ul style="list-style-type: none"> Excellent dewatering properties Long lasting protection Highly penetrating 	Suitable for inter-process protection of metal components & improving efficiency of electrical contacts	Follow package safety information to ensure safe application
CHAIN LUBRICANTS					
CHAIN LUBE	Highly effective tenacious penetrant and lubricant for use on all types of chains	Spray directly onto the component surface, deposits a heavy duty lubricating layer which penetrates pins and bushes	<ul style="list-style-type: none"> Reduces chain wear Excellent corrosion protection Reduces friction and power requirements 	Suitable for all chains without an oil bath or automated lubricant system	Follow package safety information to ensure safe application
FLT LUBE	Lubricant for chains and masts on fork lift trucks	Spray directly onto the component surface, deposits thin film protective lubricating layer which penetrates into pins and bushes	<ul style="list-style-type: none"> Effective as low as -30°C Extends chain life Can be applied to wet chains Prevents corrosion 	Suitable for leaf and roller chains on all types of lift trucks	Follow package safety information to ensure safe application

High performance sprays

Name	Description	Application	Key benefits	Usage	Notes
LUBRICANTS AND GREASES					
ROPE LUBE	Wire rope lubricant spray	Spray directly onto the component surface, penetrates to the lay core of the wire to prevent corrosion and lubricate strands	<ul style="list-style-type: none"> Highly penetrative Good dewatering and anti-corrosive performance High anti-wear and EP properties 	Suitable for all wire ropes	Follow package safety information to ensure safe application
GEAR LUBE	Advanced open gear lubricant	Spray directly onto the component surface, deposits a long-lasting lubricating film with outstanding anti-wear properties	<ul style="list-style-type: none"> Highly adhesive Can be applied to moving gears Protects against corrosion 	Suitable for use on moving parts of equipment, ideal for heavy duty chains and steel cables, or other such applications in exposed conditions	Follow package safety information to ensure safe application
SILKOPEN	Graphited penetrating spray	Spray directly onto the component surface, helps to free off seized or corroded components	<ul style="list-style-type: none"> Highly penetrative Displaces water Cuts through dirt, rust and scale 	Suitable for use on fasteners, studs, valves, couplings etc.	May affect some rubbers and plastics
WHITE GREASE	Waterproof grease spray	Spray directly onto the component surface, penetrates and deposits an adhesive, waterproof lubricant that prevents seizure and further water ingress	<ul style="list-style-type: none"> Usable up to 110°C Excellent boundary lubrication Contains rust inhibitors, anti-wear and EP additives 	Suitable for long term lubrication of chains, pins, bushes, linkages, cable mechanism, hinges, locks and similar applications.	Apply whilst equipment is cool
COPPER ANTI-SEIZE	Corrosion resistant anti-seize compound	Spray directly onto the component surface, deposits copper flake surface which under extreme pressure prevents galling and seizure of components	<ul style="list-style-type: none"> Usage between -34°C and 1100°C Prevents 'self welding' Protects against corrosion 	Suitable for use on the assembly of new equipment for long term protection to enable simpler future dismantling	Follow package safety information to ensure safe application
SILICONE SPRAY	Silicone lubricant aerosol	Spray directly onto the component surface, dries quickly to leave a colourless, low friction film	<ul style="list-style-type: none"> Non-staining Excellent lubrication on most plastics Repels water 	Suitable for use with plastics, rubbers and where a non-staining lubricant film is needed such as door hinges, sewing machine tables etc.	Follow package safety information to ensure safe application
SILKUT SPRAY 1000	A reaming, broaching, tapping and drilling spray	Spray directly onto the component surface, prevents microwelding, increases rate of metal removal and allows for deeper cutting	<ul style="list-style-type: none"> Non-staining No harm caused to water soluble coolants Extends tool life 	Suitable for all metals during operations such as tapping, threading, drilling, reaming, broaching etc.	Follow package safety information to ensure safe application

All information correct at time of going to print. 0619