Solutions for the Sugar Industry




MOVING YOUR WORLD



FUCHS LUBRICANTS CO. – SPECIAL APPLICATION LUBRICANTS

FUCHS has developed, produced and sold lubricants and related specialties for more than 80 years – for virtually all areas of application and sectors. With over 100,000 customers and 57 companies worldwide, the FUCHS Group is the leading independent supplier of lubricants.

Our knowledgeable North American team works to ensure the needs of our customers are met. We link inter-disciplinary expertise between chemists and application specialists to deliver innovative lubricant solutions to meet the current and future demands, every single day.



Overview of Products

Applications	Products	Features & Benefits
Journal Bearing	SUGAR GLIDE 15000	Specially designed for heavily loaded journal bearings and open gears.
	SUGAR GLIDE 1900	A semi synthetic formula designed for journal bearings in sugar industry.
	SUGAR GLIDE 3200 XT	A semi synthetic formula designed for journal bearings in sugar industry.
	SUGAR MILL CLEAR OIL LT 6800	A semi synthetic formula designed for journal bearings in sugar industry.
	CASSIDA FM COMPOUND SG 720	NSF H1 registered fully formulated high performance, semi-synthetic, viscous lubricant for journal bearings and crown gears in the sugar mills.
Crown Gears	SUGAR GLIDE 15000	Specially designed for heavily loaded journal bearings and open gears.
	CEPLATTYN KG 10 LC	Ultra high performance semi fluid grease with solid additives.
	SUGAR GLIDE 3200 XT	Excellent EP gear lubricant with extra tackiness.
	CASSIDA FM COMPOUND SG 720	NSF H1 registered fully formulated high performance, semi-synthetic, viscous lubricant for journal bearings and crown gears in the sugar mills.
Gearbox	RENOLIN CLP SERIES (MINERAL)	Heavy duty EP mineral based gear oil meeting DIN CLP Specifications.
	RENOLIN UNISYN CLP SERIES (synthetic)	Heavy duty EP synthetic based gear oil meeting DIN CLP Specifications.
	UGAR GLIDE 3200 XT	Excellent EP gear lubricant with extra tackiness.
Coupling Lubricant	CEPLATTYN 300	Graphite containing adhesive lubricant.
Hot Bearing Lube	SUGAR GLIDE HBL	Solvent and Asphalt free hot bearing lubricant.
Hydraulic	RENOLIN B Series	Antiwear industrial hydraulic oil.
Chain Oil	FM CHAIN OIL 100	Chain oil with tackifiers. Resists flingoff. Registered with NSF as H1 lubricant.
Turbine Oil	RENOLIN ETERNA Series	High quality turbine and compressor oil.
Bearings	RENOLIT CSX MSE SUMMER	High performance grease with excellent EP properties and superior water wash off.
Penetrating Lubricant & Cleaner	FM KRYSTALL	Penetrates hard to reach places and cleans gummy deposits of sludge , dirt and carbonaceous material. Registered with NSF as H1 lubricant.
Airline Oil	AIRLUBE 10W/NR	Formulated to absorb the moisture present in compressed air and extend pneumatic components life.

Special Application Lubricants

Innovative lubricants need experienced application engineers

Every lubricant change should be preceded by expert consultation on the application in question. Only then the best lubricant system can be selected. Experienced FUCHS engineers will be glad to advise on products for the application in question and also on our full range of lubricants.



Contact:

FUCHS LUBRICANTS CO. 17050 Lathrop Avenue Harvey, IL 60426 United States Phone + 1 708-333-8900 E-mail lubritech-US@fuchs.com www.fuchs.com/us FUCHS LUBRICANTS CANADA LTD. (Eastern Division) 405 Dobbie Drive Cambridge, Ontario N1R 5X9 Canada Phone +1 519-622-2040 E-mail lubritech-CA@fuchs.com www.fuchs.com/ca

FUCHS LUBRICANTS CANADA LTD. (Pacific Division) 19829 99A Avenue Langley, British Columbia V1M 3G4 Canada Phone +1 604-888-1552 E-mail lubritech-CA@fuchs.com www.fuchs.com/ca

LUBRICANTES FUCHS DE MÉXICO SA DE CV Acceso C No. 101 Parque Industrial Jurica 76120 Querétaro, Qro. Mexico Phone + 52 (442) 2 38 91-00 E-mail info@fuchs.com.mx www.fuchs.com/mx

05/22